



Journal of Neurotherapy: Investigations in Neuromodulation, Neurofeedback and Applied Neuroscience

Journal of Neurotherapy, a Summary of Volumes 1 to 12

Compiled by David A. Kaiser PhD

Published online: 19 May 2009.

To cite this article: Compiled by David A. Kaiser PhD (2009) Journal of Neurotherapy, a Summary of Volumes 1 to 12, *Journal of Neurotherapy: Investigations in Neuromodulation, Neurofeedback and Applied Neuroscience*, 13:2, 134-143, DOI: [10.1080/10874200902887445](https://doi.org/10.1080/10874200902887445)

To link to this article: <http://dx.doi.org/10.1080/10874200902887445>

PLEASE SCROLL DOWN FOR ARTICLE

© International Society for Neurofeedback and Research (ISNR), all rights reserved. This article (the “Article”) may be accessed online from ISNR at no charge. The Article may be viewed online, stored in electronic or physical form, or archived for research, teaching, and private study purposes. The Article may be archived in public libraries or university libraries at the direction of said public library or university library. Any other reproduction of the Article for redistribution, sale, resale, loan, sublicensing, systematic supply, or other distribution, including both physical and electronic reproduction for such purposes, is expressly forbidden. Preparing or reproducing derivative works of this article is expressly forbidden. ISNR makes no representation or warranty as to the accuracy or completeness of any content in the Article. From 1995 to 2013 the *Journal of Neurotherapy* was the official publication of ISNR (www.lsnr.org); on April 27, 2016 ISNR acquired the journal from Taylor & Francis Group, LLC. In 2014, ISNR established its official open-access journal *NeuroRegulation* (ISSN: 2373-0587; www.neuroregulation.org).

THIS OPEN-ACCESS CONTENT MADE POSSIBLE BY THESE GENEROUS SPONSORS

Applied Neuroscience, Inc.
Seamless Integration of qEEG and EEG Biofeedback

The logo for Applied Neuroscience, Inc. features a stylized brain graphic with a yellow lightning bolt passing through it. Below the graphic is the company name in white text, and at the bottom, the tagline "Seamless Integration of qEEG and EEG Biofeedback".

BrainMaster Technologies, Inc.
From the decade of the brain into the new millennium

The logo for BrainMaster Technologies, Inc. features a stylized brain graphic with a blue swoosh around it. Below the graphic is the company name in grey text, and at the bottom, the tagline "From the decade of the brain into the new millennium".

SWINGLE CLINIC
The logo for Swingle Clinic features a stylized brain graphic with a blue heart rate monitor line passing through it. To the left of the graphic is the company name in white text.

SOUNDHEALTH PRODUCTS INC.
The logo for SoundHealth Products Inc. features a stylized "W" graphic in teal and white.

neuroCare
The logo for neuroCare features the company name in a grey sans-serif font next to a colorful EEG waveform graphic.

Journal of Neurotherapy, a Summary of Volumes 1 to 12

Compiled by David A. Kaiser, PhD

Science is organized knowledge. Wisdom is organized life. — *Immanuel Kant*

A good way to know who we are as a society is to know where we've been. This journal has recently completed a dozen years of publication. Listed below is every scientific article, clinical corner, and technical note from 1995 to 2008.

- Barabasz, A., & Barabasz, M. (1995). Attention deficit hyperactivity disorder: Neurological basis and treatment alternatives. *Journal of Neurotherapy*, 1(1), 1–10.
- Gross, H. S. (1995). Thoughts about the study of cognitive-linked brain dysfunction physiology after mild closed-head trauma. *Journal of Neurotherapy*, 1(1), 11–13.
- Hoffman, D. A., Stockdale, S., Hicks, L. L., & Schwaninger, J. E. (1995). Diagnosis and treatment of head injury. *Journal of Neurotherapy*, 1(1), 14–21.
- Byers, A. P. (1995). Neurofeedback therapy for a mild head injury. *Journal of Neurotherapy*, 1(1), 22–37.
- Demaree, H. A., Crews, Jr., W. D., & Harrison, D. W. (1995). Topographical brain mapping in depression following mild closed head injury: A case study. *Journal of Neurotherapy*, 1(1), 38–43.
- Rains, G. D., Sauer, K., & Kent, C. (1995). Cognitive impairment consistent with left fronto-temporal abnormality in schizophrenia patients. *Journal of Neurotherapy*, 1(1), 44–47.
- Rossiter, T. R. & La Vaque, T. J. (1995). A comparison of EEG biofeedback and psychostimulants in treating attention deficit/hyperactivity disorders. *Journal of Neurotherapy*, 1(1), 48–59.
- Sichel, A. G., Fehmi, L. G., & Goldstein, D. M. (1995). Positive outcome with neurofeedback treatment in a case of mild autism. *Journal of Neurotherapy*, 1(1), 60–64.
- Sams, M. W. (1995). Mathematics derived frequency correlates in cerebral function: Theoretical and clinical implications for neurofeedback treatment. *Journal of Neurotherapy*, 1(2), 1–14.
- Abarbanel, A. (1995). Gates, states, rhythms, and resonance: The scientific basis of neurofeedback training. *Journal of Neurotherapy*, 1(2), 15–38.
- Alhambra, M. A., Fowler, T. P., & Alhambra, A. A. (1995). EEG biofeedback: A new treatment option for ADD/ADHD. *Journal of Neurotherapy*, 1(2), 39–43.
- Everhart, D. E. & Harrison, D. W. (1995). Hostility following right CVA: Support for right orbital frontal deactivation and right temporal activation. *Journal of Neurotherapy*, 1(2), 55–59.
- Brown, V. W. (1995). Neurofeedback and Lyme's Disease: A clinical application of the five phase model of CNS functional transformation and integration. *Journal of Neurotherapy*, 1(2), 60–73.
- Norris, S. L. (1995). Neurofeedback: One instrument in the orchestra. *Journal of Neurotherapy*, 1(2), 74–76.
- Collura, T. F. (1995). Human steady-state visual and auditory evoked potential components during a selective discrimination task. *Journal of Neurotherapy*, 1(3), 1–9.
- Plude, D. B. (1995). New technology: A biological understanding of attention deficit hyperactivity disorder and its

- treatment. *Journal of Neurotherapy*, 1(3), 10–14.
- Rasey, H., Lubar, J. F., McIntyre, A., Zoffuto, A., & Abbott, P. L. (1995). EEG biofeedback for the enhancement of attentional processing in normal college students. *Journal of Neurotherapy*, 1(3), 15–21.
 - Packard, R. C. & Ham, L. P. (1995). EEG biofeedback in the treatment of Lyme Disease: A case study. *Journal of Neurotherapy*, 1(3), 22–31.
 - Thornton, K. E. (1995). On the nature of artifacting the qEEG. *Journal of Neurotherapy*, 1(3), 32–39.
 - Linden, M., Gevitz, R., Isenhart, R., & Fisher, T. (1995). Event related potentials of subgroups of children with attention deficit hyperactivity disorder and the implications for EEG biofeedback. *Journal of Neurotherapy*, 1(3), 40–49.
 - Barabasz, M., Barabasz, A., & Blampiedc, N. (1996). A primer on clinical case study research in neurotherapy. *Journal of Neurotherapy*, 1(4), 12–14.
 - Blampiedc, N. M., Barabasz, A., & Barabasz, M. (1996). Single-case research designs for the science and practice of neurotherapy. *Journal of Neurotherapy*, 1(4), 15–26.
 - Patrick, G. J. (1996). Improved neuronal regulation in ADHD: An application of 15 sessions of photic-driven EEG neurotherapy. *Journal of Neurotherapy*, 1(4), 27–36.
 - Evans, J. R., & Park. N.-S. (1996). Quantitative EEG abnormalities in a sample of dyslexic persons. *Journal of Neurotherapy*, 2(1), 1–5.
 - Hansen, L. M., Trudeau, D. L., & Grace, D. L. (1996). Neurotherapy and drug therapy in combination for adult ADHD, personality disorder, and seizure disorder: A case report. *Journal of Neurotherapy*, 2(1), 6–14.
 - Swingle, P. G. (1996). Subthreshold 10-Hz sound suppresses EEG theta: Clinical application for the potentiation of neurotherapy treatment of ADD/ADHD. *Journal of Neurotherapy*, 2(1), 15–22.
 - Thornton, K. E. (1996). The FIG (Functional Integrative QEEG) technique and the functional structure of memory functioning in normals and head injured subjects. *Journal of Neurotherapy*, 2(1), 23–42.
 - Gilbert, J. F. & Moroney, R. (1996). Master Zhu. *Journal of Neurotherapy*, 2(1), 43–49.
 - Amen, D. G. & Carmichael, B. (1997). Oppositional children similar to OCD on SPECT: Implications for treatment. *Journal of Neurotherapy*, 2(2), 1–6.
 - Noton, D. (1997). PMS, EEG, and photic stimulation. *Journal of Neurotherapy*, 2(2), 8–13.
 - Thomas, J. E. & Sattlberger, E. (1997). Treatment of chronic anxiety disorder with neurotherapy: A case study. *Journal of Neurotherapy*, 2(2), 14–19.
 - Billiott, K. M., Budzynski, T. H., & Andrasik, F. (1997). EEG patterns and chronic fatigue syndrome. *Journal of Neurotherapy*, 2(2), 20–30.
 - Evans, J. R. & Park, N.-S. (1997). Quantitative EEG findings among men convicted of murder. *Journal of Neurotherapy*, 2(2), 31–39.
 - Benham, G., Rasey, H., Lubar, J. F., Frederick, J. A., & Zuffuto, A. C. (1997). EEG power spectral and coherence differences between attentional states during a complex auditory task. *Journal of Neurotherapy*, 2(3), 1–9.
 - Baehr, E., Rosenfeld, J. P., & Baehr, R. (1997). The clinical use of an alpha asymmetry protocol in the neurofeedback treatment of depression: Two case studies. *Journal of Neurotherapy*, 2(3), 10–23.
 - Kelly, M. J. (1997). Native Americans, neurofeedback, and substance abuse theory three year outcome of alpha/theta neurofeedback training of problem drinking among Dine' (Navaho) people. *Journal of Neurotherapy*, 2(3), 24–60.
 - Montgomery, D. D., Robb, J., Dwyer, K. V., & Gontkovsky, S. T. (1998). Single channel QEEG amplitudes in a bright, normal young adult sample. *Journal of Neurotherapy*, 2(4), 1–7.
 - Thatcher, R. W. (1998). Normative EEG databases and EEG biofeedback. *Journal of Neurotherapy*, 2(4), 8–39.
 - Manchester, C., Allen, T., & Tachiki, K. H. (1998). Treatment of dissociative

- identity disorder with neurotherapy and group self-exploration. *Journal of Neurotherapy*, 2(4), 40–52.
- Rossiter, T. R. (1998). Patient directed neurofeedback for AD/HD. *Journal of Neurotherapy*, 2(4), 53–64.
 - Boyd, W. D. & Campbell, S. E. (1998). EEG biofeedback in the schools: The use of EEG biofeedback to treat ADHD in a school setting. *Journal of Neurotherapy*, 2(4), 64–71.
 - Ulam, F. A., Thomlinson, R. P., Quinn, R., Smith, T., & Templemeyer, T. (1998). Quantitative electroencephalographic correlates of post-stroke depression. *Journal of Neurotherapy*, 3(1), 1–8.
 - Fenger, T. N. (1998). Visual-motor integration and its relation to EEG neurofeedback brain wave patterns, reading spelling, and arithmetic achievement in attention deficit disordered and learning disabled students. *Journal of Neurotherapy*, 3(1), 9–20.
 - Norris, S. L., Lee, C., Cea, J., & Bursgteyn, D. (1998). Performance enhancement training effects on attention: A case study. *Journal of Neurotherapy*, 3(1), 21–27.
 - Ramos, F. (1998). Frequency band interaction in ADD/ADHD neurotherapy. *Journal of Neurotherapy*, 3(1), 28–46.
 - Wadhwani, S., Radvanski, D. C., & Carmody, D. P. (1998). Neurofeedback training in a case of attention deficit hyperactivity disorder. *Journal of Neurotherapy*, 3(1), 47–54.
 - LaVaque, T. J. (1999). History of EEG Hans Berger: Psychophysiologist. A historical vignette. *Journal of Neurotherapy*, 3(2), 1–9.
 - Schulenberg, N. P. (1999). Neurofeedback therapy for ADHD and related neurological disorders. *Journal of Neurotherapy*, 3(2), 10–20.
 - Evans, J. R., & Claycomb, S. (1999). Abnormal QEEG patterns associated with dissociation and violence. *Journal of Neurotherapy*, 3(2), 21–27.
 - Earnest, C. (1999). Single case study of EEG asymmetry biofeedback for depression: An independent replication in an adolescent. *Journal of Neurotherapy*, 3(2), 28–35.
 - Putman, J. A. & Sunde, M. (1999). Reflexology and its effect on the EEG. *Journal of Neurotherapy*, 3(2), 36–41.
 - Gunkelman, J. (1999). Basic principles, clinical applications and related fields. *Journal of Neurotherapy*, 3(2), 42–43.
 - Thornton, K. E. (1999). Exploratory analysis: Mild head injury, discriminant analysis with high frequency bands (32–64 Hz) Under attentional activation conditions & does time heal? *Journal of Neurotherapy*, 3(3/4), 1–10.
 - Budzynski, T., Jordy, J., Kogan Budzynski, H., Tang, H.-Y., & Claypoole, K. (1999). Academic performance enhancement with photic stimulation and EDR feedback. *Journal of Neurotherapy*, 3(3/4), 11–21.
 - Frederick, J. A., Lubar, J. F., Rasey, H. W., Brim, S. A., & Blackburn, J. (1999). Effects of 18.5 Hz auditory and visual stimulation on EEG amplitude at the vertex. *Journal of Neurotherapy*, 3(3/4), 23–32.
 - Gunkelman, J. (1999). Reading task and lambda EEG activity. *Journal of Neurotherapy*, 3(3/4), 35–44.
 - Kaiser, D. A. & Othmer, S. (2000). Effect of neurofeedback on variables of attention in a large multi-center trial. *Journal of Neurotherapy*, 4(1), 5–15.
 - Putman, J. (2000). The Effects of brief, eyes-open alpha brain wave training with audio and video relaxation induction on the EEG of 77 Army reservists. *Journal of Neurotherapy*, 4(1), 17–28.
 - Moore, J. P., Trudeau, D. L., Thuras, P. D., Rubin, Y., Stockley, H., & Dimond, T. (2000). Comparison of alpha-theta, alpha and EMG neurofeedback in the production of alpha-theta crossover and the occurrence of visualizations. *Journal of Neurotherapy*, 4(1), 29–42.
 - Striefel, S. (2000). The role of aspirational ethics and licensing laws in the practice of neurofeedback. *Journal of Neurotherapy*, 4(1), 43–55.
 - Gunkelman, J. (2000). Hjorth referencing in QEEG. *Journal of Neurotherapy*, 4(1), 57–62.

- Hamilton, R., & Barnes, T. (2000). Neurofeedback equipment study one-focused technology F-1000 main board investigation. *Journal of Neurotherapy*, 4(1), 63–70.
- Deits, F. (2000). Response to neurofeedback equipment study one-focused technology F-1000. *Journal of Neurotherapy*, 4(1), 71–72.
- Joyce, M. & Siever, D. (2000). Audio-visual entrainment program as a treatment for behavior disorders in a school setting. *Journal of Neurotherapy*, 4(2), 9–25.
- Tinius, T. P. & Tinius, K. A. (2000). Changes after EEG biofeedback and cognitive retraining in adults with mild traumatic brain injury and attention deficit hyperactivity disorder. *Journal of Neurotherapy*, 4(2), 27–44.
- Hammond, D. C. (2000). Neurofeedback treatment of depression with the Roshi. *Journal of Neurotherapy*, 4(2), 45–56.
- Kaiser, D. A. (2000). QEEG: State of the art, or state of confusion. *Journal of Neurotherapy*, 4(2), 57–75.
- Rosenfeld, J. P. (2000). Theoretical implications of EEG reference choice and related methodology issues. *Journal of Neurotherapy*, 4(2), 77–87.
- Barnes, T., Hamilton, R., Reed, S., & Davis, G. (2000). Verification study on the focused technology F1000 software update. *Journal of Neurotherapy*, 4(2), 105–107.
- Deits, F. (2000). Response to verification study. *Journal of Neurotherapy*, 4(2), 109–109.
- Carmody, D. P., Radvanski, D. C., Wadhwani, S., Sabo, M. J., & Vergara, L. (2000). EEG biofeedback training and attention-deficit/hyperactivity disorder in an elementary school setting. *Journal of Neurotherapy*, 4(3), 5–27.
- Norris, S. L., Lee, C., Burshteyn, D., & Cea-Aravena, J. (2000). The effects of performance enhancement training on hypertension, human attention, stress, and brain wave patterns: A case study. *Journal of Neurotherapy*, 4(3), 29–44.
- Thornton, K. E. (2000). Electrophysiology of auditory memory of paragraphs towards a projection/activation theory of the mind. *Journal of Neurotherapy*, 4(3), 45–72.
- Sterman, M. B. & Kaiser, D. (2000). Comodulation: A new QEEG analysis metric for assessment of structural and functional disorders of the central nervous system. *Journal of Neurotherapy*, 4(3), 73–83.
- Kaiser, D. A. & Sterman, M. B. (2000). Automatic artifact detection, overlapping windows, and state transitions. *Journal of Neurotherapy*, 4(3), 85–92.
- Kaiser, D. A. (2001). What became of “The decade of the brain.” *Journal of Neurotherapy*, 4(4), 5–9.
- Baehr, E., Rosenfeld, J. P., & Baehr, R. (2001). Clinical use of an alpha asymmetry neurofeedback protocol in the treatment of mood disorders: Follow-up study one to five years post therapy. *Journal of Neurotherapy*, 4(4), 11–18.
- Everhart, D. E., Demaree, H. A., Harrison, D. W., & Williamson, J. B. (2001). “Delusions” of space: A case study utilizing topographical brain mapping and QEEG. *Journal of Neurotherapy*, 4(4), 19–29.
- Pascual-Marqui, R. D. (2001). Low Resolution Brain Electromagnetic Tomography (LORETA): The technique, its validation, and methods of analysis. *Journal of Neurotherapy*, 4(4), 31–33.
- Pascual-Marqui, R. D., Koukkou, M., Lehmann, D., & Kochi, K. (2001). Functional localization and functional connectivity with LORETA: Comparison of normal controls and first episode, drug naive schizophrenics. *Journal of Neurotherapy*, 4(4), 35–37.
- Frederick, J. (2001). Open source method of graphical QEEG analysis using PERL and Visual Basic. *Journal of Neurotherapy*, 4(4), 39–47.
- Boynton, T. (2001). Applied research using alpha/theta training for enhancing creativity and well-being. *Journal of Neurotherapy*, 5(1/2), 5–18.
- Keller, I. (2001). Neurofeedback therapy of attention deficits in patients with traumatic brain injury. *Journal of Neurotherapy*, 5(1/2), 19–32.
- Mason, L. A. & Brownback, T. S. (2001). Optimal functioning training with EEG biofeedback for clinical populations: A case study. *Journal of Neurotherapy*, 5(1/2), 33–44.

- McKnight, J. T. & Fehmi, L. G. (2001). Attention and neurofeedback synchrony training: Clinical results and their significance. *Journal of Neurotherapy*, 5(1/2), 45–62.
- Sterman, M. B. & Lantz, D. (2001). Changes in lateralized memory performance in subjects with epilepsy following neurofeedback training. *Journal of Neurotherapy*, 5(1/2), 63–72.
- LaVaque, T. J. (2001). Pills, politics, and placebos. *Journal of Neurotherapy*, 5(1/2), 73–86.
- Kaiser, D. A. (2001). Rethinking standard bands. *Journal of Neurotherapy*, 5(1/2), 87–96.
- Angelakis, E., Lubar, J. F., Frederick, J., & Stathopoulou, S. (2002). The role of slow-wave electroencephalographic activity in reading. *Journal of Neurotherapy*, 5(3), 5–25.
- Putman, J. (2002). EEG biofeedback on a female stroke patient with depression: A case study. *Journal of Neurotherapy*, 5(3), 27–38.
- Suldo, S. M., Olson, L. A., & Evans, J. R. (2002). Quantitative EEG evidence of increased alpha peak frequency in children with precocious reading ability. *Journal of Neurotherapy*, 5(3), 39–50.
- Putman, J. A. (2002). Technical issues involving bipolar EEG training protocols. *Journal of Neurotherapy*, 5(3), 51–58.
- Ratcliff-Baird, B. (2001). ADHD and stuttering: Similar EEG profiles suggest neurotherapy as an adjunct to traditional speech therapies. *Journal of Neurotherapy*, 5(4), 5–22.
- Bounias, M., Laibow, R. E., Bonaly, A., & Stubblebinec, A. N. (2001). EEG-neurobiofeedback treatment of patients with brain injury: Part 1: Typological classification of clinical syndromes. *Journal of Neurotherapy*, 5(4), 23–44.
- Laibow, R. E., Stubblebinec, A. N., Sandground, H., & Bounias, M. (2001). EEG-neurobiofeedback treatment of patients with brain injury: Part 2: Changes in EEG parameters versus rehabilitation. *Journal of Neurotherapy*, 5(4), 45–71.
- Swingle, P. G. (2001). Parameters associated with rapid neurotherapeutic treatment of common ADD (CADD). *Journal of Neurotherapy*, 5(4), 73–84.
- Laibow, R. E., Stubblebinec, A. N., Sandground, H., & Bounias, M. (2002). EEG-neurobiofeedback treatment of patients with brain injury: Part 3: Cardiac parameters and finger temperature changes associated with rehabilitation. *Journal of Neurotherapy*, 6(1), 5–21.
- Bounias, M., Laibow, R. E., Stubblebinec, A. N., Sandground, H., & Bonaly, A. (2002). EEG-neurobiofeedback treatment of patients with brain injury: Part 4: Duration of treatments as a function of both the initial load of clinical symptoms and the rate of rehabilitation. *Journal of Neurotherapy*, 6(1), 23–38.
- Angelakis, E. & Lubar, J. F. (2002). Quantitative electroencephalographic amplitude measures in young adults during reading tasks and rest. *Journal of Neurotherapy*, 6(2), 5–19.
- Trinka, R., Unterrainer, J., Luthringshausen, G., Iglseder, B., Ladurner, G., Loew, T., et al. (2002). An auditory electrophysiological intervention in migraine: A randomized placebo controlled add on trial. *Journal of Neurotherapy*, 6(2), 21–30.
- Walker, J. E., Norman, C. A., & Weber, R. K. (2002). Impact of qEEG-guided coherence training for patients with a mild closed head injury. *Journal of Neurotherapy*, 6(2), 31–43.
- Collura, T. A. (2002). Application of repetitive visual stimulation to EEG neurofeedback protocols. *Journal of Neurotherapy*, 6(2), 47–70.
- Rossiter, T. (2002). Neurofeedback for AD/HD: A Ratio feedback case study and tutorial. *Journal of Neurotherapy*, 6(3), 9–35.
- Thornton, K. E. (2002). Electrophysiological (QEEG) correlates of effective reading: towards a generator/activation theory of the mind. *Journal of Neurotherapy*, 6(3), 37–66.
- Fultz, D. E. (2002). Behaviorism and neurofeedback: Still married. *Journal of Neurotherapy*, 6(3), 67–74.
- Johnstone, J. (2002). Bispectral analysis of the EEG: A brief technical note. *Journal of Neurotherapy*, 6(3), 77–81.

- Moss, D. & Gunkelman, J. (2002). Task force report on methodology and empirically supported treatments: Introduction. *Journal of Neurotherapy*, 6(4), 7–10.
- La Vaque, T. J., Hammond, D. C., Trudeau, D., Monastra, V., Perry, J., Lehrer, P., et al. (2002). Template for developing guidelines for the evaluation of the clinical efficacy of psychophysiological interventions. *Journal of Neurotherapy*, 6(4), 11–23.
- Ibric, V. L., & McCourt, J. E. (2002). Neurofeedback training: Integration with diet and detoxification programs. *Journal of Neurotherapy*, 6(4), 25–38.
- Jarusiewicz, B. (2002). Efficacy of neurofeedback for children in the autistic spectrum: A pilot study. *Journal of Neurotherapy*, 6(4), 39–49.
- Thompson, M., & Thompson, L. (2002). Biofeedback for movement disorders (Dystonia with Parkinson's Disease): Theory and preliminary results. *Journal of Neurotherapy*, 6(4), 51–70.
- Congedo, M., Ozen, C., & Sherlin, L. (2002). Notes on EEG resampling by natural cubic spline interpolation. *Journal of Neurotherapy*, 6(4), 73–80.
- Lorensenc Grad Dip, T. D., & Gow, K. M. (2003). Quantitative electroencephalographic comodulation: An investigation of patterns in chronic fatigue syndrome. *Journal of Neurotherapy*, 7(1), 3–18.
- Congedo, M. (2003). Logistic discriminant functions in electroencephalography. *Journal of Neurotherapy*, 7(2), 5–23.
- Hammond, D. C. (2003). QEEG-guided neurofeedback in the treatment of obsessive compulsive disorder. *Journal of Neurotherapy*, 7(2), 25–52.
- Nelson, L. A. (2003). Neurotherapy and the challenge of empirical support: A call for a neurotherapy practice research network. *Journal of Neurotherapy*, 7(2), 53–67.
- Hammond, D. C. (2003). The effects of caffeine on the brain: A review. *Journal of Neurotherapy*, 7(2), 79–89.
- Congedo, M. & Lubar, J. F. (2003). Parametric and non-parametric analysis of QEEG: Normative database comparisons in electroencephalography, a simulation study on accuracy. *Journal of Neurotherapy*, 7(3/4), 1–29.
- Johnstone, J. & Gunkelman, J. (2003). Use of databases in QEEG evaluation. *Journal of Neurotherapy*, 7(3/4), 31–52.
- Lorenzen, T. D. & Dickson, P. (2003). Quantitative EEG normative databases: A comparative investigation. *Journal of Neurotherapy*, 7(3/4), 53–68.
- Romano-Micha, J. (2003). Databases or specific training protocols for neurotherapy? A proposal for a “clinical approach to neurotherapy”. *Journal of Neurotherapy*, 7(3/4), 69–85.
- Thatcher, R. W., Walker, R. A., Biver, C. J., North, D. N., & Curtin, R. (2003). Quantitative EEG normative databases: Validation and clinical correlation. *Journal of Neurotherapy*, 7(3/4), 87–121.
- White, J. N. (2003). Comparison of QEEG reference databases in basic signal analysis and in the evaluation of adult ADHD. *Journal of Neurotherapy*, 7(3/4), 123–169.
- Hammond, D. C., Walker, J., Hoffman, D., Lubar, J. F., Trudeau, D., Gurnee, R., et al. (2004). Standards for the use of quantitative electroencephalography (QEEG) in neurofeedback: A position paper of the International Society for Neuronal Regulation. *Journal of Neurotherapy*, 8(1), 5–27.
- Baehr, E., Miller, L., Rosenfeld, J. P., & Baehr, R. (2004). Changes in frontal brain asymmetry associated with premenstrual dysphoric disorder: A single case study. *Journal of Neurotherapy*, 8(1), 29–42.
- Egner, T. & Gruzelier, J. H. (2004). The temporal dynamics of electroencephalographic responses to alpha/theta neurofeedback training in healthy subjects. *Journal of Neurotherapy*, 8(1), 43–57.
- Sime, A. (2004). Case study of trigeminal neuralgia using neurofeedback and peripheral biofeedback. *Journal of Neurotherapy*, 8(1), 59–71.
- Orlando, P. & Rivera, R. O. (2004). Neurofeedback for elementary students with identified learning problems. *Journal of Neurotherapy*, 8(2), 5–19.
- Stathopoulou, S. & Lubar, J. (2004). EEG changes of traumatic brain injured patients after cognitive rehabilitation. *Journal of Neurotherapy*, 8(2), 21–51.

- Vernon, D., Frickc, A., & Gruzelier, J. (2004). Neurofeedback as a treatment for ADHD: A methodological review with implications for future research. *Journal of Neurotherapy*, 8(2), 53–82.
- Ayers, M. E. (2004). Neurofeedback for cerebral palsy. *Journal of Neurotherapy*, 8(2), 93–94.
- Bachers, A. (2004). Neurofeedback with cerebral palsy and mental retardation: A case report. *Journal of Neurotherapy*, 8(2), 95–96.
- Walker, J. (2004). A neurologist's advice for mental health professionals on the use of QEEG and neurofeedback. *Journal of Neurotherapy*, 8(2), 97–103.
- Toomim, H., Mize, W., Kwong, P. C., Toomim, M., Marsh, R., Kozlowski, G. P., et al. (2005). Intentional increase of cerebral blood oxygenation using hemoencephalography (HEG): An efficient brain exercise therapy. *Journal of Neurotherapy*, 8(3), 5–21.
- Carmen, J. A. (2005). Passive infrared hemoencephalography: Four years and 100 migraines. *Journal of Neurotherapy*, 8(3), 23–51.
- Freides, D. & Aberbach, L. (2005). Exploring hemispheric differences in infrared brain emissions. *Journal of Neurotherapy*, 8(3), 53–61.
- Sherrill, R. (2005). Effects of hemoencephalographic (HEG) training at three prefrontal locations upon EEG ratios at CZ. *Journal of Neurotherapy*, 8(3), 63–73.
- Mize, W. (2005). Hemoencephalography—A new therapy for attention deficit hyperactivity disorder (ADHD): Case report. *Journal of Neurotherapy*, 8(3), 77–97.
- Cannon, R., Lubar, J., Thornton, K., Wilson, S., & Congedo, M. (2005). Limbic beta activation and LORETA: Can hippocampal and related limbic activity be recorded and changes visualized using LORETA in an affective memory condition? *Journal of Neurotherapy*, 8(4), 5–24.
- Frederick, J., Timmermann, D. L., Russell, H., & Lubar, J. (2005). EEG coherence effects of audio-visual stimulation (AVS) at Dominant and twice dominant alpha frequency. *Journal of Neurotherapy*, 8(4), 25–41.
- Clarke, A. R. & Barry, R. J. (2005). EEG activity in subtypes of attention-deficit/hyperactivity disorder. *Journal of Neurotherapy*, 8(4), 43–62.
- Bars, D. & Schindler, C. (2005). Mixed general linear model analysis of quantitative electroencephalographic (qEEG) data. *Journal of Neurotherapy*, 8(4), 63–75.
- Congedo, C. A. M., Marvie, J.-E., Lamarche, F., Lecuyer, A., & Arnaldi, B. (2005). Open-ViBE: A three dimensional platform for real-time neuroscience. *Journal of Neurotherapy*, 9(1), 3–25.
- Hammond, D. C. (2005). Neurofeedback to improve physical balance, incontinence, and swallowing. *Journal of Neurotherapy*, 9(1), 27–36.
- Putman, J. A., Othmer, S. F., Othmer, S., & Pollock, V. E. (2005). TOVA results following inter-hemispheric bipolar EEG training. *Journal of Neurotherapy*, 9(1), 37–52.
- Hughes, J. R. (2005). Temporal lobe slow waves. *Journal of Neurotherapy*, 9(1), 63–66.
- Hammond, D. C. (2005). Temporal lobes and their importance in neurofeedback. *Journal of Neurotherapy*, 9(1), 67–86.
- Gilula, M. F. & Kirsch, D. L. (2005). Cranial electrotherapy stimulation review: A safer alternative to psychopharmaceuticals in the treatment of depression. *Journal of Neurotherapy*, 9(2), 7–26.
- Burkett, V. S., Cummins, J. M., Dickson, R. M., & Skolnick, M. (2005). An open clinical trial utilizing real-time EEG operant conditioning as an adjunctive therapy in the treatment of crack cocaine dependence. *Journal of Neurotherapy*, 9(2), 27–47.
- Olmstead, R. (2005). Use of auditory and visual stimulation to improve cognitive abilities in learning-disabled children. *Journal of Neurotherapy*, 9(2), 49–61.
- Overcash, S. J. (2005). The effect of ROSHI protocol and cranial electrotherapy stimulation on a nine-year-old anxious, dyslexic male with attention deficit disorder: A case study. *Journal of Neurotherapy*, 9(2), 63–77.
- Othmer, S. (2005). Interhemispheric EEG training. *Journal of Neurotherapy*, 9(2), 87–96.
- Kaiser, D. A. (2005). Synchrony measures and non-homotopic: Do synchrony measures between non-homotopic areas make

- sense. *Journal of Neurotherapy*, 9(2), 97–108.
- Vendemia, J. M. C., Caine, K. E., & Evans, J. R. (2006). Quantitative EEG findings in convicted murderers. *Journal of Neurotherapy*, 9(3), 5–29.
 - Thornton, K. E. (2006). The qEEG in the lie detection problem: The localization of guilt? *Journal of Neurotherapy*, 9(3), 31–43.
 - Vendemia, J. M. C., Buzan, R. F., Green, E. P., & Schillaci, M. J. (2006). Effects of preparedness to deceive on ERP waveforms in a two-stimulus paradigm. *Journal of Neurotherapy*, 9(3), 45–70.
 - Martin, G. & Johnson, C. L. (2006). The boys totem town neurofeedback project: A pilot study of EEG biofeedback with incarcerated juvenile felons. *Journal of Neurotherapy*, 9(3), 71–86.
 - Smith, P. N. & Sams, M. W. (2006). Neurofeedback with juvenile offenders: A pilot study in the use of QEEG-based and analog-based remedial neurofeedback training. *Journal of Neurotherapy*, 9(3), 87–99.
 - Kaiser, D. A. (2006). School shootings, high school size, and neurobiological considerations. *Journal of Neurotherapy*, 9(3), 103–117.
 - La Vaque, T. J., Monastra, V. J., Lynn, S., Linden, M., Lubar, J. F., & Gruzelier, J. (2006). Electroencephalographic biofeedback in the treatment of attention-deficit/hyperactivity disorder. *Journal of Neurotherapy*, 9(4), 5–34.
 - Fleischman, M. J. & Othmer, S. (2006). Delayed twins. *Journal of Neurotherapy*, 9(4), 35–46.
 - Jacobs, E. H. (2006). Neurofeedback treatment of two children with learning, attention, mood, social, and developmental deficits. *Journal of Neurotherapy*, 9(4), 55–70.
 - Cannon, R., Lubar, J., Gerke, A., Thornton, K., Hutchens, T. A., & McCammon, V. (2006). EEG spectral-power and coherence: LORETA neurofeedback training in the anterior cingulate gyrus. *Journal of Neurotherapy*, 10(1), 5–31.
 - Penberthy, J. K., Cox, D., Robeva, R., Kovatchev, B., & Merkel, R. L. (2006). The EEG consistency index as a psychophysiological marker of ADHD and methylphenidate response: Replication of results. *Journal of Neurotherapy*, 10(1), 33–43.
 - Walker, J. E. & Norman, C. A. (2006). The neurophysiology of dyslexia: A selective review with implications for neurofeedback remediation and results of treatment in twelve consecutive patients. *Journal of Neurotherapy*, 10(1), 45–55.
 - Hoffman, D. A. (2006). LORETA: An attempt at a simple answer to a complex controversy. *Journal of Neurotherapy*, 10(1), 57–72.
 - Putman, J. A. & Othmer, S. (2006). Phase sensitivity of bipolar EEG training protocols. *Journal of Neurotherapy*, 10(1), 73–79.
 - Montgomery, P. S. (2006). Allergy pattern in the EEG. *Journal of Neurotherapy*, 10(1), 89–92.
 - Freides, D. (2006). Bridging the gap between neurotherapy and psychotherapy. *Journal of Neurotherapy*, 10(1), 93–96.
 - Ochs, L. (2006). The Low Energy Neurofeedback System (LENS): Theory, background, and introduction. *Journal of Neurotherapy*, 10(2/3), 5–39.
 - Kravitz, H. M., Esty, M. L., Katz, R. S., & Fawcett, J. (2006). Treatment of fibromyalgia syndrome using low-intensity neurofeedback with the Flexyx neurotherapy system: A randomized controlled clinical trial. *Journal of Neurotherapy*, 10(2/3), 41–58.
 - Ochs, L. (2006). Comment on the “Treatment of fibromyalgia syndrome using low-intensity neurofeedback with the Flexyx Neurotherapy system: A randomized controlled clinical trial,” or how to go crazy over nearly nothing. *Journal of Neurotherapy*, 10(2/3), 59–61.
 - Esty, M. L. (2006). Reflections on FMS treatment, research, and neurotherapy: Cautionary tales. *Journal of Neurotherapy*, 10(2/3), 63–68.
 - Larsen, S., Harrington, K., & Hicks, S. (2006). The LENS (Low Energy Neurofeedback System): A clinical outcomes study on one hundred patients at stone mountain center, New York. *Journal of Neurotherapy*, 10(2/3), 69–78.
 - Cripe, C. T. (2006). Effective use of LENS unit as an adjunct to cognitive

- neuro-developmental training. *Journal of Neurotherapy*, 10(2/3), 79–87.
- Larsen, S., Larsen, R., Hammond, D. C., Sheppard, S., Ochs, L., Johnson, S., et al. (2006). The LENS neurofeedback with animals. *Journal of Neurotherapy*, 10(2/3), 89–104.
- Huang-Storms, L., Davis, E. B., Davis, R., & Dunn, J. (2007). QEEG-guided neurofeedback for children with histories of abuse and neglect: Neurodevelopmental rationale and pilot study. *Journal of Neurotherapy*, 10(4), 3–16.
- Monjezi, S. & Lyle, R. R. (2007). Neurofeedback treatment of Type I Diabetes Mellitus: Perceptions of quality of life and stabilization of insulin treatment—Two case studies. *Journal of Neurotherapy*, 10(4), 17–23.
- Hammond, D. C. (2007). What is neurofeedback? *Journal of Neurotherapy*, 10(4), 25–36.
- Kaiser, D. A. (2007). What is quantitative EEG? *Journal of Neurotherapy*, 10(4), 37–52.
- Hoffman, D. A. (2007). First, do no harm—A basic tenet in jeopardy? *Journal of Neurotherapy*, 10(4), 53–61.
- Rub, M. C. M. (2007). Neurofeedback around the world. *Journal of Neurotherapy*, 10(4), 63–73.
- Coben, R. & Padolsky, I. (2007). Assessment-guided neurofeedback for autistic spectrum disorder. *Journal of Neurotherapy*, 11(1), 5–23.
- Walker, J. E., Kozlowski, G. P., & Lawson, R. (2007). A modular activation/coherence approach to evaluating clinical/QEEG correlations and for guiding neurofeedback training: Modular insufficiencies, modular excesses, disconnections, and hyperconnections. *Journal of Neurotherapy*, 11(1), 25–44.
- Jensen, M. P., Grierson, C., Tracy-Smith, V., Bacigalupi, S. C., & Othmer, S. O. (2007). Neurofeedback treatment for pain associated with complex regional pain syndrome type I. *Journal of Neurotherapy*, 11(1), 45–53.
- Hammond, D. C. (2007). Can LENS neurofeedback treat anosmia resulting from a head injury? *Journal of Neurotherapy*, 11(1), 57–62.
- Sürmeli, T. & Ertem, A. (2007). EEG neurofeedback treatment of patients with down syndrome. *Journal of Neurotherapy*, 11(1), 63–68.
- Kropotov, J. D., Grin-Yatsenko, V. A., Ponomarev, V. A., Chutko, L. S., Yakovenko, E. A., & Nikishena, I. S. (2007). Changes in EEG spectrograms, event-related potentials and event-related desynchronization induced by relative beta training in ADHD children. *Journal of Neurotherapy*, 11(2), 3–11.
- Sokhadze, T. M., Stewart, C. M., & Hollifield, M. (2007). Integrating cognitive neuroscience research and cognitive behavioral treatment with neurofeedback therapy in drug addiction comorbid with posttraumatic stress disorder: A conceptual review. *Journal of Neurotherapy*, 11(2), 13–44.
- Fehmi, L. G. & Collura, T. (2007). Effects of electrode placement upon EEG biofeedback training: The monopolar–bipolar controversy. *Journal of Neurotherapy*, 11(2), 45–63.
- Coben, R. & Padolsky, I. (2008). Infrared imaging and neurofeedback: Initial reliability and validity. *Journal of Neurotherapy*, 11(3), 3–13.
- Achim, A., Braun, C. M. J., & Collin, I. (2008). Event-Related potentials distinguish fluent and stuttered speech. *Journal of Neurotherapy*, 11(3), 15–23.
- Cannon, R. & Lubar, J. (2008). EEG spectral power and coherence: Differentiating effects of Spatial-Specific Neuro-Operant Learning (SSNOL) utilizing LORETA neurofeedback training in the anterior cingulate and bilateral dorsolateral prefrontal cortices. *Journal of Neurotherapy*, 11(3), 25–44.
- Hammond, D. C. (2008). Comprehensive neurofeedback bibliography: 2007 update. *Journal of Neurotherapy*, 11(3), 45–60.
- Matthews, T. V. (2008). Neurofeedback overtraining and the vulnerable patient. *Journal of Neurotherapy*, 11(3), 63–66.
- Ochs, L. (2008). Comment on “Neurofeedback Overtraining and the Vulnerable Patient.” *Journal of Neurotherapy*, 11(3), 67–71.
- Fritson, K. K., Wadkins, T. A., Gerdes, P., & Hof, D. (2008). The impact of

- neurotherapy on college students' cognitive abilities and emotions. *Journal of Neurotherapy*, 11(4), 1–9.
- Arnsc, M., Kleinnijenhuis, M., Fallahpour, K., & Breteler, R. (2008). Golf performance enhancement and real-life neurofeedback training using personalized event-locked EEG profiles. *Journal of Neurotherapy*, 11(4), 11–18.
 - Kleinnijenhuis, M., Arnsc, M., Spronk, D., Breteler, R., & Duysens, J. (2008). Comparison of discrete-trial-based SMR and SCP training and the interrelationship between SCP and SMR networks: Implications for brain-computer interfaces and neurofeedback. *Journal of Neurotherapy*, 11(4), 19–35.
 - Vervoort, J., de Voigt, M. J. A., & Van den Bergh, W. (2008). The improvement of severe psychomotor and neurological dysfunctions treated with the Tomatis Audio-Psycho-Phonology Method measured with EEG brain map and auditory evoked potentials. *Journal of Neurotherapy*, 11(4), 37–49.
 - Cannon, R., Lubar, J., Clements, J. G., Harvey, E., & Baldwin, D. (2008). Practical joking and cingulate cortex: A Standardized low-resolution electromagnetic tomography (sLORETA) investigation of practical joking in the cerebral volume. *Journal of Neurotherapy*, 11(4), 51–63.
 - Sokhadze, T. M., Cannon, R. L., & Trudeau, D. L. (2008). EEG biofeedback as a treatment for substance use disorders: Review, rating of efficacy and recommendations for further research. *Journal of Neurotherapy*, 12(1), 5–43.
 - Budzynski, T. H., Budzynski, H. K., Maret, K., & Tang, H.-Y. (2008). Heart rate variability enhancement through nanotechnology: A double-blind randomized-control pilot study. *Journal of Neurotherapy*, 12(1), 45–55.
 - Hammond, D. C. & Kirk, L. (2008). First, do no harm: Adverse effects and the need for practice standards in neurofeedback. *Journal of Neurotherapy*, 12(1), 79–88.
 - Coben, R. & Hudspeth, W. J. (2008). Introduction to advances in EEG connectivity. *Journal of Neurotherapy*, 12(2/3), 93–98.
 - Collura, T. F. (2008). Towards a coherent view of brain connectivity. *Journal of Neurotherapy*, 12(2/3), 99–110.
 - Joffe, D. (2008). Connectivity assessment and training: A partial directed coherence approach. *Journal of Neurotherapy*, 12(2/3), 111–122.
 - Kaiser, D. A. (2008). Functional connectivity and aging: Comodulation and coherence differences. *Journal of Neurotherapy*, 12(2/3), 123–139.
 - Black, L. M., Hudspeth, W. J., Townsend, A. L., & Bodenhamer-Davis, E. (2008). EEG connectivity patterns in childhood sexual abuse: A multivariate application considering curvature of brain space. *Journal of Neurotherapy*, 12(2/3), 141–160.
 - Coben, R. & Myers, T. E. (2008). Connectivity theory of autism: Use of connectivity measures in assessing and treating autistic disorders. *Journal of Neurotherapy*, 12(2/3), 161–179.
 - Sokhadze, E., Stewart, C., Hollifield, M., & Tasman, A. (2008). Event-related potential study of executive dysfunctions in a speeded reaction task in cocaine addiction. *Journal of Neurotherapy*, 12(4), 185–204.
 - Sokhadze, E., Singh, S., Stewart, C., Hollifield, M., El-Baz, A., & Tasman, A. (2008). Attentional bias to drug- and stress-related pictorial cues in cocaine addiction comorbid with posttraumatic stress disorder. *Journal of Neurotherapy*, 12(4), 205–225.
 - Cannon, R., Lubar, J., Sokhadze, E., & Baldwin, D. (2008). LORETA neurofeedback for addiction and the possible neurophysiology of psychological processes influenced: A case study and region of interest analysis of LORETA neurofeedback in right anterior cingulate cortex. *Journal of Neurotherapy*, 12(4), 227–241.
 - Callaway, T. G. & Bodenhamer-Davis, E. (2008). Long-term follow-up of a clinical replication of the Peniston protocol for chemical dependency. *Journal of Neurotherapy*, 12(4), 243–259.
 - White, N. E. (2008). The transformational power of the Peniston protocol: A therapist's experiences. *Journal of Neurotherapy*, 12(4), 261–265.